



Maternity



ADVANCED INFANT INCUBATOR

- Air temp and skin temp. servo-controlled by computer
- Available mattress tilting adjustment
- Whole trough (AL)
- $\geq 37^{\circ}\text{C}$ temperature setting
- RS-232 connector
- Added with guardrails
- O2 inlet



BABY COTS

- Size: 730*410*610mm
- Stainless Steel



BABY CRIB WITH IV POLE

- 80*52*90cm
- With IV pole

To Request for Quote:

WhatsApp: +254 739 643897



ELECTRIC QUARTZ ROOM HEATER WITH HUMIDIFIER

- Electric Heater Type: Quartz heater
- 1600 Watts
- Overheat Protection
- Heating element: Quartz
- Installation: Desktop, Freestanding, Portable
- Function: Adjustable Thermostat, Lighting, Overheat Protection
- Tip-Over Protection
- Use: Bedroom, Living Room



FETAL MATERNAL MONITOR

- The Fetal Monitor offers a sleek, lightweight design that makes it a perfect monitor for both clinical, hospital, and outpatient settings. It offers central monitoring station support as well as backup memory for reliable monitoring.
- Additionally, it also features a 5.6" foldable black and white screen and a long lasting li-ion battery for advanced functionality.
- The fetal monitor is versatile with network connectivity makes remote monitoring seamless, and the USB port allows for storage capacity upgrades.
- This non-stress fetal monitor is also configured for Twin Monitoring with 2 FHR Probes and Overlap Verification to separate twin fetal heart rates.



GYNECOLOGICAL EXAMINATION TABLE

- Fixed height Examination chair position, weight capacity up to 225 kg patient, wide & comfortable upholstery.
- Removable and sterilizable ABS gynecological pan.
- 5 mono block polyester drawers (3 with bilateral opening)
- Paper roll holder (max. length 600 mm – Ø14 cm)
- Steel frame, with epoxy finish.
- All outer parts are accessible for cleaning.
- Integrated retractable foot step.
- Leg extension cushion.
- Overall Width: 714mm
- Gas-spring assisted backrest from 0-75°±5°.
- Sliding, retractable foot cushion
- Sliding steel foot step on self-blocking castors



HYDRAULIC MANUAL DELIVERY BED

- Hydraulic and manual controlled Obstetric Bed
- The column and base cover, basin are all made of stainless steel 304.
- Leg section is removable
- Length/width: 2000mm, 600mm
- Height: 620mm-860mm
- Trendelenburg/Revers: 220°/220°
- Back section Up: ≥65°/210°
- Load Capacity: 250kg



INFANT PHOTOTHERAPY UNIT

- Lightsource: Fluorescent tube
- Available stand pole up-down adjustment
- Available angle adjustment 0°, 30°, 60°
- Wave length: 400-500um
- Castors with locks
- Fit in with any infant bed and incubator



INFANT RADIANT WARMER

- Radiant Warmer Module w/temperature control & timer system
- Electronic Bed Tilting
- X-Ray Cassette
- Built-in examination Lamp
- Damper Doors (All sides)
- 360 Degree Visible Alarm Light w/Hand-Free Alarm Silence
- Printer
- Optional Functions: (please specify the optional functions needed)
- C31 Monitoring Module
- Built-in T-Piece Resuscitation
- Built-in Jaundice Therapy
- Apnea Monitoring & Wake-Up Pack



NON CONTACT OXYGEN HOOD

- High transparent acrylic glass material, air and oxygen proportion can be adjusted.
- Two side operating windows.
- Protect curtain, air valve.
- For use on infants.



STANDARD DELIVERY BED

- Back adjustment: 0~85 degrees
- 3 segments
- Manually operated
- Mattress covered with rexine
- Stainless Steel